EZ BoatPortTM Packages and Components

208015FT, 208015EX, 208104, 208105, 600041, 600042, 600043 and 250050-BK BP3000, BP4000, and BP5000 series boat lifts







EZ BoatPort

Features and Benefits

Introducing the EZ BoatPort TM with air-assist and side extensions. The new EZ BoatPort components enhance the convenience of use and boat lifting capacity to a new level. The new modular 20" platform extensions provide added floatation and walk-around space while the new air-assist floatation tank with easy to use controls boost the boat lifting capacity to 5000lbs. The air-assisted units offer a choice of control units that include: standard AC powered pump with manual controls; DC battery powered pump with solar charging system and manual controls (deep cycle battery not included) and an AC powered remote control pump unit. In the future a DC remote controlled pump unit will be offered. All EZ BoatPort components are offered separately or by approved packages (shown on pages 9-14).

- Drive-On System
 Allows for positive contact between the boat and lift for stable porting in strong current or windy conditions
- Bunk Options- With two adjustable bunk options the EZ BoatPort is designed for V-hull, flat bottom, or jet boats
- Air-Assist Pump Unit—There are three air-assist pump unit options available: standard AC powered pump with manual controls; DC battery powered pump with solar charging system and manual controls (deep cycle battery not included); and an AC powered remote controlled pump unit. All pump units provide easy, hassle free operation with an approximate lift time of 30-90 seconds.
- Patent Pending Lift Design for boats up to 5000lbs. For EZ BoatPorts without air-assist a minimum water depth of 20" is required and for EZ BoatPorts with air-assist a minimum water depth of 36" is required.
- Versatile mounting options allow for multiple installation methods.
- Modular System— Allows for expanding or reconfiguring your boatlift/dock by simply adding components. Can be used with standard EZ Dock, traditional floating or fixed docks.
- Complete Platform Design

 Safe and Easy to use without any open areas or exposed metal.
- Durable– Made completely out of marine grade materials.
- Accessibility
 – Side extension options offer three sided accessibility for easy access to clean or cover your watercraft.
















208015FT FLOAT TANK, AIR-ASSIST KIT for EZ BoatPort

Shipping Weight- 240 lbs.

Part Dimensions- 78"W x 111"L x 20" H

Floatation Capacity- 2000 lbs.





The EZ BoatPort Float Tank can be added to the EZ BoatPort, allowing it to increase the flotation capacity up to 4000 pounds. The combination of two Side Extension and a Float Tank added to a EZ BoatPort will allow up to a 5000 pound watercraft to be ported (depending on the weight distribution). This will more than double the weight of the watercraft that can be added to the EZ BoatPort.

BOM for 208015FT FLOAT TANK, AIR ASSIST KIT for EZ BoatPort

S28015FT Float Tank, Air-Assist for EZ BoatPort 1 **208015FT - EZ BoatPort Float Tank**
















208015EX EXTENSION, EZ BoatPort SIDE KIT

Shipping Weight- 140 lbs.

Part Dimensions- 19.5"W x 164"L x 15" H

Floatation Capacity- 500 lbs





The EZ BoatPort Side Extension can be added to one or both sides of the EZ BoatPort, making the lift either 100" (with one Side Extension) or 120" wide (with a Side Extension on each side). Each Side Extension has a flotation capacity of 500 pounds. This will allow for a larger platform that will provide more area for wider boats, additional walking surface, increased flotation capacity and added versatility for a wider array of installations/applications.

Note: For watercraft in excess of 3000 lbs. the EZ BoatPort side extensions must be used in pairs to ensure proper weight and balance.

BOM for 208015EX EXTENSION, EZ BoatPort SIDE KIT

S28015EX Extension, EZ BoatPort Side 1 208015EX - EZ BoatPort Side Extension 201030 Kit, Pocket Filler with Retainer Clips 2















208104 CONNECTOR, KIT EZ BoatPort POLY H-CONNECTORS

Shipping Weight- 33 lbs.

Part Dimensions- 13.5"W x 15"L x 12" H





The H-Connector Kit for the EZ BoatPort is designed to attach the Side Extension to the EZ BoatPort. It also replaces the T-Connector when a Float Tank and Side Extension are used in conjunction. This kit comes with an H-Insert, coupler sets and all hardware needed for proper installation of one EZ BoatPort Side Extension.

BOM for 208	BOM for 208104 - CONNECTOR, KIT EZ BoatPort POLY H-CONNECTORS			
S28104	Connector, EZ BoatPort Poly H-Insert	1	208104 - H-Connector Kit for the EZ BoatPort	
104401	Bolt 1/2"-13 x 6" Full Thread 18-8SS	2		
80012	Washer 1/2" Flat x 1 1/8" SAE YZ	2		
301100	Coupler Bolt, Composite Hardware	2		
311010	Coupler, Rubber	6		
22003	Nut 1/2"-13 Composite Coupler Nut	3		
211008	Coupler Short Bolt, Composite-PMAX	1		
900005	Tool, Composite Coupler Installation	1		















208105 T-Connector Kit, 1 pair for the EZ BoatPort

Shipping Weight- 20 lbs.

Part Dimensions- 13.5"W x 7.5"L x 12" H





The T-Connector Kit for the EZ BoatPort is designed to attach the Float Tank securely to the bottom of the EZ BoatPort. This kit comes with a pair of T-Inserts and all hardware needed for proper installation of one EZ BoatPort Float Tank.

BOM for 208105 - CONNECTOR, KIT OF 2 FOR EZ BoatPort POLY T-CONNECTORS

S28105	Connector, EZ BoatPort Poly T-Insert	2	208105 - T-Connector Kit for the EZ BoatPort
104401	Bolt 1/2"-13 x 6" Full Thread 18-8SS	2	
80012	Washer 1/2" Flat x 1 1/8" SAE YZ	2	















600041 AIR-ASSIST PUMP, MANUAL CONTROLLED 110VAC, KIT





Shipping Weight- 30 lbs.

Part Dimensions- 13.5"W x 11"L x 25.5"H

The Manual Controlled Air-Assist Unit is used with the Float Tank to quickly raise the watercraft out of the water. This pump unit is activated by hand and requires a 110VAC powered.

BOM for 600041 AIR-ASSIST PUMP, MANUAL CONTROLLED 110VAC, KIT S60041 Air-Assist Unit Manual Controlled 110VAC 1 600041 - Air-Assist Pump Unit Manual S60040 Kit, Hose Install for Pump Unit 1 104318 Bolt 1/4" x 2" Lag 18-8SS 2 80575SS Bolt 5/16"-18 x 3/4" Truss HD 18-8SS 2

600042 AIR-ASSIST PUMP, SOLAR KIT 12VDC FOR EZ BoatPort



Shipping Weight- 30 lbs.

Part Dimensions- 19"W x 14"L x 32"H

The Solar Charged Manual Controlled Air-Assist Unit is used with the Float Tank to quickly raise the water-craft out of the water. This pump unit is activated by hand and has a self-contained solar charging panel mounted on the lid. Requires a 12VDC power supply. (deep cycle battery not included)

BOM for 600042	AIR-ASSIST PUMP, SOLAR MANUAI	L CONT	TROLLED 12VDC, KIT
S60042	Air-Assist Unit Solar Charged 12VDC	1	600042 - Air-Assist Pump Unit, Solar Charged (12v)
S60040	Kit, Hose Install for Pump Unit	1	• / /
104318	Bolt 1/4" x 2" Lag 18-8SS	2	
80575SS	Bolt 5/16"-18 x 3/4" Truss HD 18-8SS	2	















600043 AIR-ASSIST PUMP, REMOTE CONTROLLED 110VAC, KIT





Shipping Weight-Part Dimensions-

30 lbs.

13.5"W x 11"L x 25.5"H

The Remote Controlled Air-Assist Unit is used with the Float Tank to quickly raise the watercraft out of the water. This pump unit is activated either by hand or wireless remote and requires a 110VAC outlet.

BOM for 600043	AIR-ASSIST PUMP, REMOTE CONTROL	LLED	110VAC, KIT
S60043	Air-Assist Unit Remote Controlled 110VAC	1	600043 - Air-Assist Unit Remote Controlled
S60040	Kit, Hose Install for Air-Assist Unit	1	
104318	Bolt 1/4" x 2" Lag 18-8SS	2	
80575SS	Bolt 5/16"-18 x 3/4" Truss HD 18-8SS	2	
















250013 12" Entry Keel Roller Kit with Hardware





The 12" Entry Keel Roller Kit will be used at the entry of the EZ Boat Port to provide a softer entry. Made from Urethane and nylon mounting plates.

BOM for 250013	- 12" Entry Keel Roller Kit with Hardware)	
S25013 990429	Roller Shaft with ends 5/8" x 14-3/16" SS Roller Urethane 12"	1	250013–12" Entry Keel Roller Kit
S25050-1	Axel Mount Nylon	2	
80575SS	Bolt 5/16"-18 x 3/4" Truss HD 18-8SS	2	

250050-BK 12" Black Keel Roller Assembly Kit with Hardware



Shipping Weight- 4 lbs.

Part Dimensions- 2.5"W x 14"L x 2.5"H

The 12" Black Keel Roller Kit will be replacing the 250012 kit previously used for the EZ BoatPort. The EZ BoatPort will now come equip with one S25050-BK intermediate roller. This kit is used if additional rollers are needed in the remaining three roller pockets of the EZ BoatPort.

BOM for 2	250050-BK ·	· KIT,	ASSEMBLY	12"	' KEEL ROLLER W/HDW	

ı	S25050-BK	Roller, 12" Keel Assemb Inj Black 1	250050-BK - 12" Black Keel Roller Kit
	80514SS	Bolt 5/16" x 1 1/4" Truss HD 18-8SS 4	
	S32050	Spacer 1" OD x 3/8" ID Black Polyethylene 4	
	80575SS	Bolt 5/16"-18 x 3/4" Truss HD 18-8SS 4	
















BP3000-L EZ BOATPORT 3000 PKG 10'X14' LONG BUNK BP3000-S EZ BOATPORT 3000 PKG 10'X14' SHORT BUNK





BP3000-L EZ BOATPORT 3000 PKG 10'X14' LONG BUNK BP3000-S EZ BOATPORT 3000 PKG 10'X14' SHORT BUNK

BOM

208015BL	the EZ Boat Port 80"x168"	1
208015EX	Extension Side for Boat Port	2
208104	Connector, Boat Port Poly H-Con	2
250050-BK	Keel Roller, Assembly w'HDW Black	3
208101 or 208102	Choice of Bunk System pair	1

Note: For watercraft in excess of 3000 lbs. the EZ BoatPort side extensions must be used in pairs to ensure proper weight and balance.

BP3000-L or BP3000-S
















BP3001-L EZ BOATPORT 3000 PKG 10'X19' LONG BUNK BP3001-S EZ BOATPORT 3000 PKG 10'X19' SHORT BUNK





BP3001-L EZ BOATPORT 3000 PKG 10'X19' LONG BUNK BP3001-S EZ BOATPORT 3000 PKG 10'X19' SHORT BUNK

BOM

208015BL	the EZ Boat Port 80"x168"	1
208015EX	Extension Side for Boat Port	2
208104	Connector, Boat Port Poly H-Con	2
206010	Dock Section 60"x120"	1
301100	Coupler Set w/Composite Hardware	6
250050-BK	Keel Roller, Assembly w'HDW Black	3
208101 or 208102	Choice of Bunk System pair	1

Note: For watercraft in excess of 3000 lbs. the EZ BoatPort side extensions must be used in pairs to ensure proper weight and balance.

BP3001-L or BP3001-S













BP4000-SM EZ BOATPORT 4000 PKG 80"X19' SHORT BUNK AIR-ASSIST


EZ BOATPORT 4000 PKG 80"X19' SHORT BUNK SOLAR AIR-ASSIST **BP4000-SS**

EZ BOATPORT 4000 PKG 80"X19" SHORT BUNK REMOTE AIR-ASSIST **BP4000-SR**

BP4000-LM EZ BOATPORT 4000 PKG 80"X19" LONG BUNK AIR-ASSIST

EZ BOATPORT 4000 PKG 80"X19" LONG BUNK SOLAR AIR-ASSIST **BP4000-LS**

BP4000-LR EZ BOATPORT 4000 PKG 80"X19" LONG BUNK REMOTE AIR-ASSIST



BP4000-*M EZ BOATPORT 4000 PKG 80"X19' (choice of bunk system) AIR-ASSIST

BP4000-*S EZ BOATPORT 4000 PKG 80"X19" (choice of bunk system) SOLAR AIR-ASSIST BP4000-*R EZ BOATPORT 4000 PKG 80"X19' (choice of bunk system) REMOTE AIR-ASSIST

BOM

208015BL	the EZ Boat Port 80"x168"	1
208015FT	Float Tank, Air-Assist	1
208105	Connector, Kit of 2 Boat Port Poly T-Con	1
204060	Dock Section 40"x60"	2
301100	Coupler Set w/Composite Hardware	7
250050-BK	Keel Roller, Assembly w/HDW Black	3
600041or 600042 or 600043	Choice of Air-Assist Pump, w/Hose Kit	1
208101 or 208102	Choice of Bunk System pair	1

BP4000-SM or BP4000-LM

BP4000-SS or BP4000-LS (Solar Kit)

BP4000-SR or BP4000-LR (Remote Kit)















BP4001-SM EZ BOATPORT 4000 PKG 80"X24" SHORT BUNK AIR-ASSIST


EZ BOATPORT 4000 PKG 80"X24' SHORT BUNK SOLAR AIR-ASSIST **BP4001-SS**

EZ BOATPORT 4000 PKG 80"X24' SHORT BUNK REMOTE AIR-ASSIST **BP4001-SR**

BP4001-LM EZ BOATPORT 4000 PKG 80"X24' LONG BUNK AIR-ASSIST

EZ BOATPORT 4000 PKG 80"X24" LONG BUNK SOLAR AIR-ASSIST **BP4001-LS**

BP4001-LR EZ BOATPORT 4000 PKG 80"X24" LONG BUNK REMOTE AIR-ASSIST



BP4001-*M EZ BOATPORT 4000 PKG 80"X24' (choice of bunk system) AIR-ASSIST

BP4001-*S EZ BOATPORT 4000 PKG 80"X24' (choice of bunk system) SOLAR AIR-ASSIST BP4001-*R EZ BOATPORT 4000 PKG 80"X24" (choice of bunk system) REMOTE AIR-ASSIST

BOM

208015BL	the EZ Boat Port 80"x168"	1
208015FT	Float Tank, Air-Assist	1
208105	Connector, Kit of 2 Boat Port Poly T-Con	1
208010	Dock Section 80"x120"	1
301100	Coupler Set w/Composite Hardware	4
250050-BK	Keel Roller, Assembly w'HDW Black	3
600041or 600042 or 600043	Choice of Air-Assist Pump, w/Hose Kit	1
208101 or 208102	Choice of Bunk System pair	1

BP4001-SM or BP4001-LM

BP4001-SS or BP4001-LS (Solar Kit)

BP4001-SR or BP4001-LR (Remote Kit)













BP5000-LM


BP5000-SM EZ BOATPORT 5000 PKG 10'X20'6" SHORT BUNK AIR-ASSIST

BP5000-SS EZ BOATPORT 5000 PKG 10'X20'6" SHORT BUNK SOLAR AIR-ASSIST

BP5000-SR EZ BOATPORT 5000 PKG 10'X20'6" SHORT BUNK REMOTE AIR-ASSIST

EZ BOATPORT 5000 PKG 10'X20'6" LONG BUNK AIR-ASSIST

BP5000-LS EZ BOATPORT 5000 PKG 10'X20'6" LONG BUNK SOLAR AIR-ASSIST BP5000-LR EZ BOATPORT 5000 PKG 10'X20'6" LONG BUNK REMOTE AIR-ASSIST



BP5000-*M EZ BOATPORT 5000 PKG 10'X20'6" (choice of bunk system) AIR-ASSIST

BP5000-*S EZ BOATPORT 5000 PKG 10'X20'6" (choice of bunk system) SOLAR AIR-ASSIST BP5000-*R EZ BOATPORT 5000 PKG 10'X20'6" choice of bunk system) REMOTE AIR-ASSIST

D	$\boldsymbol{\cap}$	Λ.	1
n	.,	١V	ı

208015BL	the EZ Boat Port 80"x168"	1
208015EX	Extension Side for Boat Port	2
208015FT	Float Tank, Air-Assist	1
208104	Connector, Kit Boat Port Poly H-Connect	2
208010	Dock Section 80"x120"	1
301100	Coupler Set w/Composite Hardware	6
250050-BK	Keel Roller, Assembly w'HDW Black	3
600041or 600042 or 600043	Choice of Air-Assist Pump, w/Hose Kit	1
208101 or 208102	Choice of Bunk System pair	1

Note: For watercraft in excess of 3000 lbs. the EZ BoatPort side extensions must be used in pairs to ensure proper weight and balance.

BP5000-SM or BP5000-LM

BP5000-SS or BP5000-LS (Solar Kit)

BP5000-SR or BP5000-LR (Remote Kit)













BP5001-SM EZ BOATPORT 5000 PKG 10'X24' SHORT BUNK AIR-ASSIST


BP5001-SS EZ BOATPORT 5000 PKG 10'X24' SHORT BUNK SOLAR AIR-ASSIST

BP5001-SR EZ BOATPORT 5000 PKG 10'X24' SHORT BUNK REMOTE AIR-ASSIST

BP5001-LM EZ BOATPORT 5000 PKG 10'X24' LONG BUNK AIR-ASSIST

BP5001-LS EZ BOATPORT 5000 PKG 10'X24' LONG BUNK SOLAR AIR-ASSIST

BP5001-LR EZ BOATPORT 5000 PKG 10'X24' LONG BUNK REMOTE AIR-ASSIST



BP5001-*M EZ BOATPORT 5000 PKG 10'X24' (choice of bunk system) AIR-ASSIST

BP5001-*S EZ BOATPORT 5000 PKG 10'X24' (choice of bunk system) SOLAR AIR-ASSIST BP5001-*R EZ BOATPORT 5000 PKG 10'X24' (choice of bunk system) REMOTE AIR-ASSIST

BOM

208015BL	the EZ Boat Port 80"x168"	1
208015EX	Extension Side for Boat Port	2
208015FT	Float Tank, Air-Assist	1
208104	Connector, Kit Boat Port Poly H-Connect	2
206010	Dock Section 60"x120"	2
301100	Coupler Set w/Composite Hardware	12
250050-BK	Keel Roller, Assembly w'HDW Black	3
600041or 600042 or 600043	Choice of Air-Assist Pump, w/Hose Kit	1
208101 or 208102	Choice of Bunk System pair	1

Note: For watercraft in excess of 3000 lbs. the EZ BoatPort side extensions must be used in pairs to ensure proper weight and balance.

BP5001-SM or BP5001-LM

BP5001-SS or BP5001-LS (Solar Kit)

BP5001-SR or BP5001-LR (Remote Kit)













 ${\color{blue} Photos - Additional\ Photos\ can\ be\ found\ on\ the\ Distributor's\ Website}$

















